

Piedmont Cancer Registry
City of Turin (910,504 inhabitants at 31.12.2009)

SOFT TISSUES - ICD-10: C 47, 49

COMMENTS:

Both incidence and mortality are decreasing during the recent years. Survival is reasonably good and becomes stable after about 4 years since diagnosis.

INCIDENCE Last Update: 2004-2006

		MEN	WOMEN
N° (average/annual)		22	15
RATES	Crude	5.2	3.1
	Age adj (ITA81)	4.0	2.5
	Age adj (WORLD)	3.5	2.2
Age specific rates		► MEN	► WOMEN

MORTALITY Last Update: 2004-2006

		MEN	WOMEN
N° (average/annual)		7	4
RATES	Crude	1.7	0.9
	Age adj (ITA81)	1.2	0.6
	Age adj (WORLD)	0.9	0.4
Age specific rates		► MEN	► WOMEN

SURVIVAL Last Update: 1995-1999 (f.u. 2004)

	MEN	WOMEN
N° of cases	51	61
1 year observed	64.7	72.1
1 year relative	66.6	74.6
5 year observed	50.9	54.1
5 year relative	59.0	59.7
5 year standardized	56.0	61.0

SURVIVAL Complete data: 1985-1999 (f.u. 2004)

	MEN	WOMEN
N° of cases	191	189
10 year observed	42.1	37.4
10 year relative	56.1	47.1
15 year observed	34.1	27.4
15 year relative	52.9	39.7

5 year Relative Survival TRENDS (f.u. 2004)

	MEN	WOMEN
1985-1987	58.6	37.7
1988-1990	40.3	39.7
1991-1993	61.7	58.6
1994-1996	62.7	55.6
1997-1999	48.4	58.3

PREVALENCE 31/12/2004

N° of cases x 100.000

	MEN	WOMEN
observed (since 1985)	27.5	20.8
overall (estimated)	35.0	29.2

INDICATORS / METHODS

INCIDENCE - MORTALITY - NUMBER OF CASES
AGE SPECIFIC RATES - CRUDE RATES - STANDARDIZED RATES -
SURVIVAL - OBSERVED SURVIVAL
RELATIVE SURVIVAL AND AGE-STANDARDIZED RELATIVE SURVIVAL -
PREVALENCE - NOTES

